

HEMP LABORATORY TEST CERTIFICATE OF ANALYSIS

Hemp Analysis - Summary

Tested by high-performance liquid chromatography with ultraviolet detection (HPLC-UV).

TOTAL THC¹

0.010%²

CANNABINOID PROFILE

10.1776% Total CBD¹

10.3469% Total Cannabinoids³

Terpenes Not Tested



- 1) Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step: Total THC = $\Delta 9\text{THC} + (\text{THCa} (0.877))$ and Total CBD = $\text{CBD} + (\text{CBDa} (0.877))$.
 - 2) As defined by the 2018 Farm Bill, hemp must contain no more than 0.3% Total THC, defined as the concentration of delta-9 tetrahydrocannabinol (Δ -9-THC) post-decarboxylation - see formula above.
 - 3) Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.
-

Additional Testing

Pass/Fail defined at action limits set by California Code of Regulations Title 16. Effective date: January 16, 2019. Authority: Section 26013, Business Professions Code. Reference: Sections 26100, 26104, and 26110, Business Professions Code.

2500 mg broad spectrum natural tincture

Tested for:

Address:

Batch #:



lot#2002401



Sample ID:

200127P002

Final Approval

HEMP LABORATORY TEST CERTIFICATE OF ANALYSIS

Sample Name: 2500 mg broad spectrum natural tincture

LIMS Sample ID: 200127P002

Batch #: lot#2002401

Source METRC UID:



Sample Type: Other

Batch Count:

Sample Count:

Unit Volume: 30 Milliliters per Unit

Serving Mass:

Density: 0.9277 g/mL

Tested for:

License #:

Address:

Produced by:

License #:

Address:



Moisture Test Results

Moisture	Results (%)
	11

Cannabinoid Test Results

Cannabinoid analysis utilizing High Performance Liquid Chromatography (HPLC, QSP 5-4-4-4)

	mg/mL	%	LOD / LOQ mg/mL
Δ9THC	0.093	0.0100	0.0009 / 0.003
Δ8THC	ND	ND	0.0009 / 0.003
THCa	ND	ND	0.0009 / 0.003
THCV	ND	ND	0.0004 / 0.001
THCVa	ND	ND	0.0013 / 0.004
CBD	94.345	10.1698	0.0009 / 0.003
CBDa	0.083	0.0089	0.0009 / 0.003
CBDV	0.234	0.0252	0.0004 / 0.001
CBDVa	ND	ND	0.0003 / 0.001
CBG	0.312	0.0336	0.001 / 0.003
CBGa	ND	ND	0.0008 / 0.002
CBL	0.070	0.0075	0.0021 / 0.006
CBN	0.316	0.0341	0.0009 / 0.003
CBC	0.535	0.0577	0.0011 / 0.003
CBCa	ND	ND	0.0015 / 0.005

Sum of Cannabinoids: 95.988 10.3469 2879.640 mg/Unit

Total THC (Δ9THC+0.877*THCa) 0.093 0.010 2.790 mg/Unit
Total CBD (CBD+0.877*CBDa) 94.418 10.1776 2832.540 mg/Unit

Δ9THC per Unit 2.790 mg/Unit
Δ9THC per Serving

Batch Photo




Terpene Test Results

Terpene analysis utilizing Gas Chromatography - Flame Ionization Detection (GC - FID)

	mg/g	%	LOD / LOQ mg/g
α Bimabolol	NT		
β Pinene	NT		
γ Carene	NT		
Borneol	NT		
β Caryophyllene	NT		
Geranyl	NT		
α Humulene	NT		
Terpinolene	NT		
Valencene	NT		
Menthof	NT		
Nerolidol	NT		
Camphor	NT		
Eucalyptol	NT		
α Cedrene	NT		
Camphor	NT		
γ-Pinene	NT		
Sabinene	NT		
γ-Terpinene	NT		
α-Terpinene	NT		
Linalool	NT		
Limonene	NT		
Myrcene	NT		
Fenchol	NT		
α-Phellandrene	NT		
Caryophyllene Oxide	NT		
Terpinol	NT		
β-Pinene	NT		
γ(+)-Pulegone	NT		
Geranyl Acetate	NT		
Caronellol	NT		
p-Cymene	NT		
Camene	NT		
Guaiol	NT		
Phytol	NT		
α-Cedrene	NT		
Total Terpene Concentration:	NT		

Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019
Authority: Section 26013, Business and Professions Code.
Reference: Sections 26100, 26104 and 26110, Business and Professions Code.


Josh Wurzer, President

HEMP LABORATORY TEST CERTIFICATE OF ANALYSIS

Sample Name: 2500 mg Broad spectrum Natural
 LIMS Sample ID: 200204N007
 Batch #: 2002401
 Source METRC UID:
 Sample Type: Other
 Batch Count:
 Sample Count:
 Unit Volume: 30 Milliliters per Unit
 Serving Mass:
 Density: 0.9609 g/mL



Tested for:



License #:

Address:

Produced by:

License #:

Address:

Pesticide Test Results - Pass

Pesticide and plant growth regulator analysis utilizing HPLC-Mass Spectrometry and GC-Mass Spectrometry

	Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
Abamectin	Pass ND	0.3	0.030 / 0.091
Acephate	Pass ND	5.0	0.013 / 0.039
Acequinocyl	Pass ND	4.0	0.010 / 0.031
Acetamiprid	Pass ND	5.0	0.013 / 0.038
Azoxystrobin	Pass ND	40.0	0.015 / 0.047
Bifenazate	Pass ND	5.0	0.012 / 0.035
Bifenthrin	Pass ND	0.5	0.013 / 0.038
Boscalid	Pass ND	10.0	0.008 / 0.023
Captan	Pass ND	5.0	0.099 / 0.300
Carbaryl	Pass ND	0.5	0.014 / 0.043
Chlorantraniliprole	Pass ND	40.0	0.020 / 0.061
Clofentezine	Pass ND	0.5	0.009 / 0.027
Cyfluthrin	Pass ND	1.0	0.099 / 0.299
Cypermethrin	Pass ND	1.0	0.030 / 0.091
Diazinon	Pass ND	0.2	0.009 / 0.027
Dimethomorph	Pass ND	20.0	0.018 / 0.055
Etoxazole	Pass ND	1.5	0.007 / 0.022
Fenhexamid	Pass ND	10.0	0.015 / 0.045
Fenpyroximate	Pass ND	2.0	0.012 / 0.036
Flonicamid	Pass ND	2.0	0.022 / 0.066
Fludioxonil	Pass ND	30.0	0.020 / 0.061
Hexythiazox	Pass ND	2.0	0.009 / 0.027
Imidacloprid	Pass ND	3.0	0.017 / 0.050
Kresoxim-methyl	Pass ND	1.0	0.010 / 0.029
Malathion	Pass ND	5.0	0.006 / 0.019
Metalaxyl	Pass ND	15.0	0.011 / 0.033
Methomyl	Pass ND	0.1	0.022 / 0.067
Myclobutanil	Pass ND	9.0	0.015 / 0.044
Naled	Pass ND	0.5	0.010 / 0.031
Oxamyl	Pass ND	0.2	0.014 / 0.042
Pentachloronitrobenzene	Pass ND	0.2	0.020 / 0.061
Permethrin	Pass ND	20.0	0.027 / 0.082
Phosmet	Pass ND	0.2	0.010 / 0.030
Piperonylbutoxide	Pass ND	8.0	0.007 / 0.020
Prallethrin	Pass ND	0.4	0.011 / 0.032
Propiconazole	Pass ND	20.0	0.004 / 0.013
Pyrethrins	Pass ND	1.0	0.012 / 0.036
Pyridaben	Pass ND	3.0	0.007 / 0.020
Spinetoram	Pass ND	3.0	0.006 / 0.017
Spinosad	Pass ND	3.0	0.010 / 0.031
Spiromesifen	Pass ND	12.0	0.005 / 0.015
Spirotetramat	Pass ND	13.0	0.014 / 0.042
Tebuconazole	Pass ND	2.0	0.006 / 0.018
Thiamethoxam	Pass ND	4.5	0.011 / 0.033
Trifloxystrobin	Pass ND	30.0	0.007 / 0.020

Pesticide Test Results - Pass

Pesticide and plant growth regulator analysis utilizing HPLC-Mass Spectrometry and GC-Mass Spectrometry

	Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
Aldicarb	Pass ND	ND	0.030 / 0.091
Carbofuran	Pass ND	ND	0.029 / 0.089
Chlordane	Pass ND	ND	0.032 / 0.097
Chlorfenapyr	Pass ND	ND	0.030 / 0.090
Chlorpyrifos	Pass ND	ND	0.029 / 0.089
Coumaphos	Pass ND	ND	0.029 / 0.089
Daminozide	Pass ND	ND	0.030 / 0.091
DDVP (Dichlorvos)	Pass ND	ND	0.029 / 0.089
Dimethoate	Pass ND	ND	0.029 / 0.089
Ethoprop(hos)	Pass ND	ND	0.029 / 0.089
Etofenprox	Pass ND	ND	0.029 / 0.089
Fenoxycarb	Pass ND	ND	0.029 / 0.089
Fipronil	Pass ND	ND	0.029 / 0.089
Imazalil	Pass ND	ND	0.029 / 0.089
Methiocarb	Pass ND	ND	0.029 / 0.089
Methyl parathion	Pass ND	ND	0.029 / 0.089
Mevinphos	Pass ND	ND	0.029 / 0.089
Pacllobutrazol	Pass ND	ND	0.029 / 0.089
Propoxur	Pass ND	ND	0.029 / 0.089
Spiroxamine	Pass ND	ND	0.029 / 0.089
Thiacloprid	Pass ND	ND	0.029 / 0.089

Mycotoxin Test Results

Mycotoxin analysis utilizing HPLC-Mass Spectrometry

	Results (µg/kg)	Action Limit µg/kg	LOD / LOQ µg/kg
Aflatoxin B1, B2, G1, G2	NT		
Ochratoxin A	NT		

Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019
 Authority: Section 26013, Business and Professions Code.
 Reference: Sections 26100, 26104 and 26110, Business and Professions Code.


 Josh Wurzer, President

HEMP LABORATORY TEST CERTIFICATE OF ANALYSIS

Sample Name: 2500 mg Broad spectrum Natural
 LIMS Sample ID: 200204N007
 Batch #: 2002401
 Source METRC UID:
 Sample Type: Other
 Batch Count:
 Sample Count:
 Unit Volume: 30 Milliliters per Unit
 Serving Mass:
 Density: 0.9609 g/mL



Tested for:



License #:

Address:

Produced by:

License #:

Address:

Residual Solvent Test Results

Residual Solvent analysis utilizing Gas Chromatography - Mass Spectrometry (GC - MS)

	Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
1,2-Dichloroethane	NT		
Benzene	NT		
Chloroform	NT		
Ethylene Oxide	NT		
Methylene chloride	NT		
Trichloroethylene	NT		
Acetone	NT		
Acetonitrile	NT		
Butane	NT		
Ethanol	NT		
Ethyl acetate	NT		
Ethyl ether	NT		
Heptane	NT		
Hexane	NT		
Isopropyl Alcohol	NT		
Methanol	NT		
Pentane	NT		
Propane	NT		
Toluene	NT		
Total Xylenes	NT		

Water Activity Test Results

	Results (Aw)	Action Limit Aw
Water Activity	NT	

Heavy Metal Test Results - Pass

Heavy metal analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

	Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
Cadmium	Pass ND	0.5	0.012 / 0.035
Lead	Pass ND	0.5	0.031 / 0.095
Arsenic	Pass ND	1.5	0.013 / 0.039
Mercury	Pass ND	3.0	0.002 / 0.005

Note

Microbiological Test Results - Pass

PCR and fluorescence detection of microbiological impurities

	Results	Action Limit
Shiga toxin-producing Escherichia coli	Pass ND	ND
Salmonella spp.	Pass ND	ND
Aspergillus fumigatus	NT	
Aspergillus flavus	NT	
Aspergillus niger	NT	
Aspergillus terreus	NT	

3M Petrifilm and plate counts for microbiological contamination


	Results (cfu/g)
Aerobic Plate Count	NT
Total Yeast and Mold	NT

Foreign Material Test Results

NT

Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019
 Authority: Section 26013, Business and Professions Code.
 Reference: Sections 26100, 26104 and 26110, Business and Professions Code.


 Josh Wurzer, President